

### AMENDMENTS TO THE CLAIMS

1. **(Currently Amended)** A secure system including a secure device holding confidential data and a terminal apparatus to which ~~said~~ the secure device is connected, ~~said~~ the secure system comprising:

a first storage unit included in one of ~~the said~~ the secure device and ~~the said~~ the terminal apparatus, and operable to store domain information defining a domain of ~~the said~~ the secure device and ~~the said~~ the terminal apparatus;

a second storage unit included in one of ~~said~~ the secure device and ~~the said~~ the terminal apparatus, and operable to store an extra-domain usage rule which is a rule for use of ~~the said~~ the secure device outside the domain;

a first judgment unit included in one of ~~the said~~ the secure device and ~~the said~~ the terminal apparatus, and operable to judge, according to the domain information, whether one of ~~said~~ the secure device and ~~the said~~ the terminal apparatus is currently inside the domain or outside the domain;

a second judgment unit included in one of ~~the said~~ the secure device and ~~the said~~ the terminal apparatus, and operable to judge, according to the extra-domain usage rule, whether or not use of ~~the said~~ the secure device is permitted, in the case where it is judged by said first judgment unit to be outside the domain; and

a control unit included in one of ~~the said~~ the secure device and ~~the said~~ the terminal apparatus, and operable to enable the use of ~~the said~~ the secure device in ~~the said~~ the terminal apparatus in any ~~of~~ one of: 1) the case where it is judged by said first judgment unit to be inside the domain; and 2) the case where it is judged by ~~the said~~ the second judgment unit that use is permitted,

wherein the extra-domain usage rule concerns at least one of the following extra-domain criteria: (a) a number of content reproductions; (b) a number of content use apparatuses; (c) a number of domains; (d) a validity period; (e) a use duration; (f) a number of terminal IDs; (g) a number of domain IDs; (h) a number of contents; and (i) a number of licenses.

2. **(Currently Amended)** The secure system according to Claim 1,

wherein ~~the said~~ terminal apparatus is a content use apparatus reproducing an encrypted content,

the confidential data is an encryption key for decrypting the content, and

said control unit is operable to supply the confidential data from ~~the said~~ secure device to ~~the said~~ terminal apparatus, in any ~~of~~ one of: 1) the case where it is judged by said first judgment unit to be inside the domain; and 2) the case where it is judged by said second judgment unit that use is permitted.

3. **(Canceled)**

4. **(Original)** The secure system according to Claim 2, comprising

a history recording unit operable to record an extra-domain use history indicating a history of use of the content in a content use apparatus outside of the domain, the use being based on the extra-domain usage rule,

wherein said second judgment unit is operable to judge whether or not the extra-domain use history exceeds a limit of permitted use indicated in the extra-domain usage rule.

5. **(Currently Amended)** The secure system according to Claim 2,

wherein said second storage unit and said second judgment unit are included in ~~the said~~ secure device.

6. **(Currently Amended)** The secure system according to Claim 2,

wherein said second storage unit and said second judgment unit are included in ~~said~~ the content use apparatus.

7. **(Currently Amended)** The secure system according to Claim 2,

wherein ~~said~~ the content use apparatus includes

a reception unit operable to receive a new extra-domain usage rule from an outside source, and  
said second storage unit is operable to update the extra-domain usage rule with the new  
extra-domain usage rule.

8. **(Original)** The secure system according to Claim 7,  
wherein said reception unit is operable to receive an extra-domain usage rule added to a  
license transmitted by a content distribution server.

9. **(Currently Amended)** The secure system according to Claim 2,  
wherein ~~said the~~ content use apparatus further includes:  
an obtainment unit operable to obtain the extra-domain usage rule and an extra-domain  
use history from a secure device inserted into a secure device slot; and  
a display unit operable to display a guidance regarding a use status for a content use  
apparatus outside of the domain, based on the obtained extra-domain usage rule and the extra-  
domain use history.

10. **(Currently Amended)** A secure device connected to a terminal apparatus, and holding  
confidential data, ~~said the~~ secure device comprising:  
a rule storage unit operable to store an extra-domain usage rule for the said secure device  
with respect to a terminal apparatus outside of a domain;  
a judgment unit operable to judge, according to the extra-domain usage rule, whether or  
not use of the said secure device is permitted; and  
a control unit operable to enable the use of the said secure device in the said terminal  
apparatus in the case where said judgment unit judges that the use is permitted,  
wherein the extra-domain usage rule concerns at least one of the following extra-domain  
criteria: (a) a number of content reproductions; (b) a number of content use apparatuses; (c) a  
number of domains; (d) a validity period; (e) a use duration; (f) a number of terminal IDs; (g) a  
number of domain IDs; (h) a number of contents; and (i) a number of licenses.

11. **(Currently Amended)** The secure ~~device~~system according to Claim 10,  
wherein ~~the said~~ terminal apparatus is a content use apparatus reproducing an encrypted content,  
the confidential data is an encryption key for decrypting the content, and  
said control unit is operable to supply the confidential data from ~~said the~~ secure device to ~~the said~~ terminal apparatus, in the case where it is judged by said judgment unit that use is permitted.

12. **(Canceled)**

13. **(Currently Amended)** The secure device according to Claim ~~12~~ 10,  
a history recording unit operable to record an extra-domain use history indicating a history of use of the content in a terminal apparatus outside of the domain, the use being based on the extra-domain usage rule,  
wherein said judgment unit is operable to judge whether or not the extra-domain use history exceeds a limit of permitted use indicated in the extra-domain usage rule.

14. **(Original)** The secure device according to Claim 13, further comprising  
a deleting unit operable to delete the extra-domain use history at a predetermined time.

15. **(Original)** The secure device according to Claim 11, further comprising:  
a reception unit operable to receive a new extra-domain usage rule from a terminal apparatus,  
wherein said rule storage unit is operable to update the extra-domain usage rule with the new extra-domain usage rule.

16. **(Original)** The secure device according to Claim 11,

wherein said rule storage unit is operable to store a default extra-domain usage rule.

17. **(Original)** The secure device according to Claim 11, further comprising:

a display unit operable to display a use status for a content use apparatus outside of the domain, based on the extra-domain usage rule and the extra-domain use history.

18. **(Currently Amended)** The secure device according to Claim 11, further comprising:

a transmission unit operable to transmit a domain ID to a terminal apparatus having a secure device slot into which the said secure device is currently inserted.

19. **(Currently Amended)** The secure device according to Claim 11, further comprising

a transmission unit operable to transmit the extra-domain use history to a terminal apparatus having a secure device slot into which the said secure device is currently inserted.

20. **(Currently Amended)** A terminal apparatus to which a secure device holding confidential data is connected, the said terminal apparatus comprising:

a storage unit operable to store an extra-domain usage rule which is a usage rule for ~~said~~ the secure device with respect to a terminal apparatus outside the domain;

a judgment unit operable to judge, according to the extra-domain usage rule, whether or not use of the said secure device is permitted; and

a control unit operable to enable the use of the said secure device in the said terminal apparatus in the case where said judgment unit judges that the use is permitted,

wherein the extra-domain usage rule concerns at least one of the following extra-domain criteria: (a) a number of content reproductions; (b) a number of content use apparatuses; (c) a number of domains; (d) a validity period; (e) a use duration; (f) a number of terminal IDs; (g) a number of domain IDs; (h) a number of contents; and (i) a number of licenses.

21. **(Currently Amended)** The ~~secure-terminal apparatus system~~ according to Claim 20,

wherein ~~the said~~ terminal apparatus is a content use apparatus reproducing an encrypted content,  
the confidential data is an encryption key for decrypting the content, and  
said control unit is included in ~~the said~~ secure device, and is operable to supply the  
confidential data from ~~the said~~ secure device to ~~the said~~ terminal apparatus, in the case where it is  
judged by said judgment unit that use is permitted.

**22. (Canceled)**

**23. (Currently Amended)** A secure system ~~including~~ comprising:

a content distribution ~~apparatus,~~ apparatus;

a content use ~~apparatus,~~ apparatus; and

a secure device,

wherein said content distribution apparatus includes a transmission unit operable to  
transmit, to a content use apparatus, an extra-domain usage rule which is a usage rule for use of  
said secure device in a content use apparatus outside of a domain,

said secure device includes a supply unit operable to supply an encryption key to a  
content use apparatus belonging to a domain made up of content use apparatuses which share  
said secure device, the encryption key enabling content use,

said content use apparatus includes a reception unit for receiving the extra-domain usage  
rule from ~~said the~~ transmission unit,

one of said content use apparatus and said secure device ~~includes~~ further comprises:

a first storage unit operable to store domain information defining the domain of said  
secure device and ~~said a~~ terminal apparatus;

a second storage unit operable to store the extra-domain usage rule received by ~~the said~~  
reception unit;

a first judgment unit operable to judge whether one of said secure device and ~~the said~~  
terminal apparatus is currently inside the domain or outside the domain; and

a second judgment unit operable to judge, according to the extra-domain usage rule,

whether or not use of said secure device is permitted, in the case where it is judged by said first judgment unit to be outside the domain, and

~~said~~the supply unit is further operable to supply the encryption key to a content use apparatus outside the domain, in the case where said judgment unit judges that the use is permitted,

wherein the extra-domain usage rule concerns at least one of the following extra-domain criteria: (a) a number of content reproductions; (b) a number of content use apparatuses; (c) a number of domains; (d) a validity period; (e) a use duration; (f) a number of terminal IDs; (g) a number of domain IDs; (h) a number of contents; and (i) a number of licenses.

24. **(Currently Amended)** A method for using a secure device in a secure system including the secure device which holds confidential data, and a terminal apparatus to which the secure device is connected, the~~said~~ method comprising:

a step of reading-out, from a memory, domain information defining a domain of a secure device and a terminal apparatus, the memory being included in one of the secure device and the terminal apparatus;

a step of judging, according to the read-out domain information, whether one of the secure device and the terminal apparatus is currently inside the domain or outside the domain;

a step of reading out, from a memory, an extra-domain usage rule which is a rule for use of the secure device outside the domain, the memory being included in one of the secure device and the terminal apparatus;

a step of judging, according to the read-out extra-domain usage rule, whether or not use of the secure device is permitted, in the case where it is judged by said first judgment ~~step~~ unit to be outside the domain; and

a control step of enabling use of the secure device in the terminal apparatus in any one of: 1) the case where it is judged to be inside the domain; and 2) the case where it is judged that use is permitted,

wherein the extra-domain usage rule concerns at least one of the following extra-domain

criteria: (a) a number of content reproductions; (b) a number of content use apparatuses; (c) a number of domains; (d) a validity period; (e) a use duration; (f) a number of terminal IDs; (g) a number of domain IDs; (h) a number of contents; and (i) a number of licenses.

**25. (Currently Amended)** The secure device use method according to Claim 24,

wherein the terminal apparatus is a content use apparatus reproducing an encrypted content,

the confidential data is an encryption key for decrypting the content, and

in said control step, the confidential data, within the secure device, is supplied from the secure device to the terminal apparatus in any one of: 1) the case where it is judged by the first judgment unit to be inside the domain; and 2) the case where it is judged by the second judgment unit that use is permitted.

**26. (Currently Amended)** A computer executable program for use in a secure system including a secure device which holds confidential data, and a terminal apparatus to which the secure device is connected, said program causing a computer to execute:

a step of reading-out, a memory, domain information defining a domain of a secure device and a terminal apparatus, the memory being included in one of the secure device and the terminal apparatus;

a step of judging, according to the read-out domain information, whether one of the secure device and the terminal apparatus is currently inside the domain or outside the domain;

a step of reading out, a memory, an extra-domain usage rule which is a rule for use of the secure device outside the domain, the memory being included in one of the secure device and the terminal apparatus;

a step of judging, according to the read-out extra-domain usage rule, whether or not use of the secure device is permitted, in the case where it is judged by the first judgment ~~step unit~~ to be outside the domain; and

a control step of enabling use of the secure device in the terminal apparatus in any one of:



1) the case where it is judged to be inside the domain; and 2) the case where it is judged that use is permitted,

wherein the extra-domain usage rule concerns at least one of the following extra-domain criteria: (a) the number of content reproductions; (b) a number of content use apparatuses; (c) a number of domains; (d) a validity period; (e) a use duration; (f) a number of terminal IDs; (g) a number of domain IDs; (h) a number of contents; and (i) a number of licenses.

**27. (Currently Amended)** A content distribution apparatus in a content use system including said content distribution apparatus, a content use apparatus, and a secure device, said content distribution apparatus comprising a transmission unit operable to transmit, to a content use apparatus, an extra-domain usage rule which is a usage rule for said secure device with respect to a content use apparatus outside of a domain,

wherein the extra-domain usage rule concerns at least one of the following extra-domain criteria: (a) a number of content reproductions; (b) a number of content use apparatuses; (c) a number of domains; (d) a validity period; (e) a use duration; (f) a number of terminal IDs; (g) a number of domain IDs; (h) a number of contents; and (i) a number of licenses.

**28. (Canceled)**